




S&T Heat Exchanger
Swimming pool, Spa, Solar heat exchanger

INTERCAMBIADORES DE CALOR PARA PISCINA

MODELO	CAPACIDAD NORMAL		AREA DE TRANSFERENCIA		CONEXIONES		FOTO
	KW	Kbtu/h	M2	FT2	LADO PISCINA	LADO CALDERO Y/O PANELES	
ST-16	16	55	0,15	1,636	1"	3/4"	
ST-25	25	85	0,25	2,703	1"	3/4"	
ST-45	45	155	0,33	3,552	1 1/2"	1"	
ST-60	60	210	0,44	4,769	1 1/2"	1 1/2"	
ST-88	88	300	0,64	6,889	1 1/2"	1 1/2"	
ST-105	105	360	0,85	12,8	2"	1 1/2"	
ST-175	175	600	1,55	16,7	2 1/2"	2"	
ST-352	352	1200	2,01	21,58	2 1/2"	2"	

DIMENSIONES DE LOS INTERCAMBIADORES



MODELO	A	B	C	D	E	F	G
ST-16	339	64,5	253	193	30	1"	3/4"
ST-25	494	64,5	408	348	30	1"	3/4"
ST-45	404	81	310	234	38	1 1/2"	1"
ST-60	511	81	417	341	38	1 1/2"	1 1/2"
ST-88	701	81	611	521	45	1 1/2"	1 1/2"
ST-105	890	81	800	710	45	2"	1 1/2"
ST-175	862	109	750	644	53	2 1/2"	2"
ST-352	895	126	765	659	53	2 1/2"	2"